

Anti-PEG antibodies: past, present and future difficulties in a regulated environment

Zoe Whiffen Scientist, LGC


PEG: The basics



- Hydrophilic
- Chemically inert backbone



Good excretion kinetics










Common Limitations of Large Molecule Drugs






The Use of PEG



Immunogenicity [

Efficacy

- Neutralising affect
- Changing pharmacokinetic profile
- Reduced clinical response
- Change in biodistribution




Safety

- Serious adverse events
- Disease progression
- Hypersensitivity reaction

Difficulties of Anti-PEG antibody assays






controls

Surrogate anti-

PEG antibody

Difficulties of Anti-PEG antibody assays






Positive Control

Difficulties of Anti-PEG antibody assays





Standard Reagents

Confirmatory drug


	Screening assay		Confirmatory assay	
	1	2	1	2
High PC	2364	2398	138	131
Mid PC	703	712	139	139
Low PC	127	125	155	162
Negative Control	118	129	133	130
Sample 1	135	123	154	157
Sample 2	144	165	187	187
Sample 3	111	123	245	232
Sample 4	127	122	165	176

Mock data representing previous experience with anti-PEG antibody assays




Back to Basics: Anti-PEG antibody kits?






Quantitative measurement of colour change






Solutions: SPEAD format






Streptavidin coated plate

Acid dissociation



Electrochemiluminescence Plate





Thank you for listening

Any questions?



